

NOTES:

1. Plant material must meet the minimum acceptable standard set by the American Association of Nurserymen's American Standard of Nursery Stock: ANSI Z60.1. Broken, damaged, diseased, or substandard stock are prohibited from being planted in the public right-of-way and will be rejected.
2. Only class I (small growing) trees are permitted to be planted under or within fifteen (15') of overhead utility lines.
3. Prune only broken or damaged branches. Do not apply fertilizer at time of planting.
4. The root flare is the point where the top most structural root emerges from the trunk. The depth of the root ball shall be measured from the root flare to the bottom of the ball. Handle container plants carefully when transferring to planting hole. Lift or carry by holding the root ball, not the trunk.
5. Remove any excess soil from the top of the root ball to expose the root flare. Place tree in planting hole with root flare level with or up to 1" above finish grade.
6. Remove container from root ball. Be careful to keep the root ball intact.
7. Straighten, cut and remove any circling roots.
8. Backfill planting hole 2/3 full with existing soil, settle with water, continue to fill with soil, water again. Water thoroughly after installation to eliminate air pockets.
9. Construct a temporary raised ring of soil at edge of root ball to contain water. Remove or breach before winter.
10. Construct mulch ring with minimum 36" diameter to a depth of 2" - 4"; leave 3" of bare ground between mulch and tree trunk.
11. Set stakes parallel to prevailing wind and outside of root ball. Ties must be 1" wide minimum, flexible belt-like strapping. Do not use rope or wire. Do not over-tighten around tree. Ties should be tight enough to support the tree while allowing it to sway. Remove stakes and ties within one year after installation.
12. Trees benefit when irrigated separately from turf. Water new trees during summer months to a depth of 12" - 18" once per week (about 5 gallons of water per caliper inch) for the first 3 growing seasons. During periods of drought, new trees may need more frequent watering.



CONTAINER TREE PLANTING NOTES

Approved by
Parks & Rec. Design Mgr.
Neil Miner

Drawn by: GLS
Checked by: CB
Adopted:

PR-101-3